



# DI-Guy Documentation Center and Master Index

← Use the bookmarks to access the Master Index.

Click a title to open a manual.

**DI-Guy Getting Started Users Guide**

**DI-Guy Scenario Users Guide**

**DI-Guy AI Users Guide**

**DI-Guy Motion Editor Users Guide**

**DI-Guy Content Reference Manual**

**DI-Guy 13.1 Release Notes**

**DI-Guy SDK Developers Guide and Class  
Documentation (HTML)**

DI-Guy SDK Change log and version history

## **Other Developer Documentation:**

- DI-Guy Appearances Catalogs
  - Appearances Catalog (HTML)
  - Head Appearances Catalog (HTML)
  - Prop Appearances Catalog (HTML)
  - Vehicle Appearances Catalog (HTML)
- DI-Guy Data Reference (HTML)
- DI-Guy Data Digest (XML - requires association with .xml extension)
- Lua AI Minds SDK (HTML)





# Master Index

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- a command-line option M:1-4
- C command-line option M:1-4, S:2-6
- c command-line option M:1-4
- D command-line option S:2-5
- f command-line option S:2-6
- fullscreen command-line option S:2-5
- fullscreen2 command-line option S:2-5
- g command-line option M:1-4
- hide\_menu command-line option S:2-5
- hide\_status command-line option S:2-5
- i command-line option M:1-4
- L command-line option S:2-6
- module command-line option S:2-6
- N command-line option S:2-5
- net command-line option S:2-5
- noaudio command-line option M:1-4
- nodiguy command-line option M:1-4
- noik command-line option M:1-4
- nojointlimit command-line option M:1-4
- notools command-line option M:1-4
- p command-line option M:1-4, S:2-5
- plugin command-line option S:2-6
- pmu command-line option S:2-6
- t command-line option M:1-4
- V command-line option S:2-6
- v command-line option M:1-4
- +module command-line option S:2-6
- +plugin command-line option S:2-6, S:2-7

## Numerics

- 2D symbol S:9-11
- 3D
  - window
    - multiple S:2-18
- 3D View M:2-2, M:2-6, M:3-2
  - camera buttons M:6-11
  - configuring M:3-15
  - coordinate system M:3-15
  - grid M:3-3
  - IK mode M:3-10
  - opening M:3-2
  - playing motion M:2-10
  - window S:9-2
- 3D View window S:3-3
- 3DS Max
  - exporting data from C:4-18

## A

- A channel M:4-7
- action S:3-10, S:3-18, S:7-13
  - adding S:3-20, S:7-11
  - adding, moving, removing, renaming M:7-3
  - affected by scale S:5-6
  - bead S:6-2
  - changing S:3-23
  - cutting, copying, pasting S:4-9
  - default M:7-4

- deleting S:7-12
- duration
  - exact S:7-12
- editing S:7-12
- execute\_gesture S:7-25
- forward S:7-8
- inserting S:7-11
- list
  - sorting M:7-3
- movement, facing direction, posture, variant,
  - speed M:7-4
- non-forward S:7-8
- pointing camera at S:7-7
- relationship to other actions M:7-5
- stationary S:3-22
- traveling S:3-22
- triggering M:7-3
- viewing C:5-3
- action bead S:3-19, S:7-2
  - attributes S:7-6
  - creating S:7-3
  - dragging S:3-21
  - editing S:7-5
  - loss of S:A-2
  - moving S:3-21, S:7-7
  - propagation of S:7-5
  - transitions S:7-6
- Action Bead page S:7-3, S:7-4, S:7-5, S:7-7, S:7-8, S:7-9
- Action Edit S:3-21, S:7-2
- Action Information group box M:7-4
- Action Insert S:3-20, S:7-2
- Action page S:7-2
- Action Spreadsheet S:7-2, S:7-10
- Action Spreadsheet page S:7-11, S:7-12
- action table M:2-2, M:7-3
  - display modes M:7-6
  - saving M:7-3
  - types M:7-6
- Action Table Editor M:1-2, M:2-2, M:2-6, M:2-24
  - opening M:7-2
- Action Table tab M:2-4, M:7-5, M:8-11
- actions
  - character M:7-3
- Actions tab M:7-3
- active
  - motion track M:4-4
- active object S:10-24
- actor C:1-4, S:1-1
  - appearance C:1-7
  - configuration file C:1-6, C:1-7
  - opening C:4-10, C:4-15
  - publishing C:4-20
  - saving C:4-15
  - setting up C:4-20
  - skeletal hierarchy C:1-7
- add\_wakeup\_callback() function A:5-19
- adding
  - action M:7-3, S:7-11
  - actions S:3-20
  - character S:3-11
  - crowd member A:6-10
  - decision bead S:7-14
  - event to schedule A:6-30
  - facial expression S:5-16
  - fog setting S:12-12
  - light setting S:12-14
  - model mapping S:14-6
  - motion track M:4-6
  - object S:2-20
  - particle system S:8-7
  - schedule A:6-29
  - special effect S:8-6
  - waypoints S:3-17
- adjusting
  - joint M:3-8
- advanced lighting C:5-8
- agent A:1-5, A:2-3, A:3-14
  - adding to crowd A:6-10
  - behavior A:2-5
  - creating from character A:3-15
  - obstacle A:2-19
  - repulsion zone A:2-22
  - schedule A:6-28
- agent\_accept\_message() function A:5-19
- agent\_broadcast\_message\_to\_group() function A:5-19
- agent\_broadcast\_message() function A:5-19
- agent\_move\_to\_point\_bg() function A:4-3, A:4-6
- agent\_move\_to\_point\_via\_subregions\_bg() function A:4-3, A:4-6
- agent\_move\_to\_point\_via\_subregions() function A:4-3, A:4-6
- agent\_move\_to\_point() function A:4-3

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- agent\_move\_to\_region\_via\_subregion() function
  - A:4-3
- agent\_move\_to\_region() function A:4-3
- agent\_set\_auto\_variant\_selection() function A:2-19
- AI Crosswalks
  - scenario A:3-41
- AI multifloor path planning
  - scenario A:3-34
- AI Schedule Demo
  - scenario A:6-29
- AI Train Station Alarm
  - scenario A:3-42
- AI\_Crowd\_Blitz\_Demo
  - example scenario S:10-13
- aim A:2-17
  - bead S:6-2
  - ending S:7-21
  - primary variant M:7-4
- aim angle mode S:7-21
- aim bead
  - creating S:7-21
- Aim Bead page S:7-22
- aim character mode S:7-21
- aim point mode S:7-21
- aiming
  - character S:7-21
  - using joystick S:5-13
- aircraft guide example A:3-44
- altitude
  - waypoint S:6-13
- Altitude Update Rate S:11-11
- ambient light S:12-13
- ambient variant A:2-17
- AND S:7-16, S:10-3
- angle
  - aiming S:7-21
- angry variant A:2-17
- animation
  - creating C:4-11
  - decision bead C:4-17
- Animation Load Management S:11-11
- Animation Manager C:4-10
- animation set
  - opening C:4-15
  - saving C:4-15
- API
  - label functions S:10-12
  - path planning A:4-3
- appearance C:1-4, S:3-9, S:1-1
  - actor C:1-7
  - categories C:1-6
  - changing M:3-14, S:3-12
  - character
    - changing S:5-3
    - choosing S:3-10
    - command line M:1-4
    - creating new C:2-17
    - expressive face C:1-6
    - FaceFX C:4-17
    - multiple for character type C:5-9
    - tutorial C:2-2
    - viewing C:5-3
- Appearance list
  - filtering C:5-3
- Appearance Wizard S:4-5
- appearances.cfg
  - configuration file C:1-6
- appending
  - events A:6-30
- Apply Actor Scale to Action Bead Travel S:5-6
- applying
  - lighting C:5-7
- arc
  - motion M:7-5, M:7-6
- argument
  - command line M:1-4, S:2-5
- army mode C:5-9
- ASCII motion file M:9-7
- asset
  - adding to channel M:4-7
  - joint group M:2-12
  - offsetting time M:4-12
  - project M:2-12
  - consolidating M:1-6
- atom
  - trajectory M:3-12, M:4-10
- attaching
  - camera to character S:3-33, S:9-5
- attack behavior A:2-9
- attribute
  - action bead S:7-6
- audio
  - adding to channel M:4-7
  - recording C:4-9
- audio track M:4-22

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- beat indicator M:4-22
- hiding M:1-4
- autocomplete
  - Lua S:D-2
  - object functions S:D-2
- autoloading
  - configuration files C:1-7
- automatic path planning A:4-2
- automatic variant selection A:2-19
- avatar
  - selecting C:4-7
- AVI S:2-17
  - recording scenario S:2-13
- avoidance
  - crowd A:6-13
- Avoidance Methods tab A:6-9, A:6-13
- avoiding
  - dynamic objects A:2-22
  - obstacle A:2-5
  - obstacles A:2-20
  - static objects A:6-23
- awareness radius A:6-15
- azimuth slider M:7-4

## B

- B channel M:4-7
- background
  - function A:4-6
  - method A:4-6
  - path planning A:4-6
- backwards
  - movement S:7-8
- balloon
  - thought A:3-22
- base
  - behaviors A:3-5
- base behavior A:1-4, A:1-5, A:2-5
- bead S:6-2
  - decision S:7-13
- beat indicator
  - audio track M:4-22
- become\_aggressive() function A:5-11
- begin\_state() function A:5-12
- behavior S:3-18
  - agent A:2-5
  - attack A:2-9
  - base A:1-4, A:1-5, A:2-5, A:3-5

- flee A:2-8, A:3-10
- idle A:2-9
- mingle A:2-7
- none A:2-10
- path follow A:2-6
- pursue A:2-8
- pyramid A:1-4
- travel A:2-6, A:3-6
- wander A:2-7
- behavior path
  - crowd A:6-7
- Behavior Settings tab A:3-17, A:6-20
- binary motion file M:9-7
- Bio-Vision Hierarchical file
  - importing M:9-3
- blend
  - igloo M:4-15
  - IK Igloo M:3-12
  - IK igloo M:4-18
  - IK Teepee M:3-12
  - IK teepee M:4-18
  - linear M:4-15
  - offset effect M:4-19
  - polynomial M:4-15
  - Teepee M:2-19
  - teepee M:4-15
  - transitions M:4-14
- blending
  - pose into motion M:2-11, M:2-18
- Blitz Action S:4-3
- body
  - track M:4-4
- boundary
  - extent S:11-9
- bounding volume C:5-12
- branched
  - path S:6-14
- button
  - camera M:3-3, M:6-11
  - Grab Pose M:2-12, M:4-7, M:4-10
  - Grab Trajectory M:3-12, M:4-7, M:4-10
  - IK M:2-13, M:3-10
  - joystick
    - mappings S:5-13
  - label S:5-17, S:10-13
  - mouse S:9-2
  - Pose Edit M:2-15
  - Posing Tool M:3-4, M:3-6

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Reset Values M:7-4
- Send Motion to Project M:7-6
- Show Diagram A:5-13
- Track Enabled M:4-6
- Track Lock M:4-6
- Track Playback M:2-20
- Trigger Action M:7-3
- Update Arc Zero Positions M:7-4
- View Setup M:7-6
- BVH format M:1-2

## C

- callback S:10-2, S:10-15
  - character S:10-18, S:C-2
  - crowd S:C-5
  - mapping to events S:10-10
  - scenario S:C-4
  - sensor region S:C-4
  - signal S:C-5
- callback ID S:C-2
- CALLBACK\_ID\_AUTOSENSE\_CHARACTER\_ENTERED S:8-15
- CALLBACK\_ID\_AUTOSENSE\_CHARACTER\_LEFT S:8-15
- CALLBACK\_ID\_USER\_SELECTED S:10-15
- CALLBACK\_ID\_USER\_UNSELECTED S:10-15
- calltip S:D-3
- Camera
  - input mode S:9-2
  - page S:9-8
  - settings M:6-5
- camera M:2-6, M:3-2, M:6-4, S:3-30
  - attached to lighting S:12-13
  - attaching to character S:9-5
  - button M:6-11
  - buttons M:3-3
  - changing M:3-7
  - control of S:2-17
  - controlling from script and review data S:9-10
  - frustum culling S:11-9
  - heading S:12-10
  - jumping S:3-32
  - jumping to location S:9-4
  - looking at crowd member A:6-11
  - motion
    - direction S:9-2
    - mover M:6-7
    - moving S:3-5, S:9-2
      - click and drag S:9-4
      - up down left right forward and backward S:9-2
    - moving with character M:6-3
    - orientation M:6-2, S:9-3
    - overriding scripts or tracking settings S:9-11
    - point of view S:9-6
    - pointing at action S:7-7
    - POV S:3-34
    - projection mode S:9-9
    - renaming M:6-12
    - setting M:1-4
      - changing order S:9-8
      - loading S:9-8
      - saving and loading S:9-6
    - settings M:3-3, M:6-2
      - changing M:6-12
      - hot key S:9-8
      - loading M:6-11
      - loading from hot key S:9-8
      - saving M:6-13, S:9-7
    - speed
      - Mouse Move mode S:9-4
      - projection mode S:9-9
    - teleporting S:3-32, S:9-4
      - to character S:2-20
    - tethering to character S:3-33
    - tracking character M:6-2, S:3-34, S:9-5
  - camera button
    - Free M:2-15
  - Camera dialog box M:2-7, M:3-3, M:6-4
  - camera mover
    - drag M:6-7
    - fly M:6-9
    - none M:6-10
    - plan view M:6-10
  - Camera page S:3-31, S:3-33, S:9-4, S:9-7, S:9-10, S:9-11
  - camera position M:6-2
  - camera setting
    - saving S:3-31
  - Camera tab
    - Preferences DI-Guy S:2-17
  - Cartesian space M:3-3
  - category
    - appearance C:1-6

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- chain S:5-21
- Chain Settings
  - page S:5-21
- changing S:9-8
  - action S:3-23
  - appearance M:3-14, S:3-12
  - camera M:3-7
  - camera settings M:6-12
  - character appearance S:5-3
  - character head S:5-4
  - character name S:5-3
  - character scale S:5-5
  - character type S:5-3
  - environment S:3-37
  - geometry C:2-8
  - object index S:2-21
  - viewing angle C:5-5
- channel
  - A, B, T M:4-7
  - adding motions, poses, and audio M:4-7
  - data
    - manipulating M:4-7
  - priority M:4-7
  - T M:4-7
  - Timeline M:2-9
  - track M:4-6
  - transition M:4-7
- Channel A slider M:8-11
- channel T M:2-19
- character A:3-14
  - actions M:7-3
  - adding S:3-11
  - adding to scenario S:3-6
  - aiming direction S:7-21
  - appearance
    - changing S:5-3
  - attaching camera to S:9-5
  - avoidance method A:6-13
  - callbacks S:C-2
  - camera
    - moving with M:6-3
  - chains and ropes S:5-21
  - choosing S:4-5
  - climbing stairs A:3-34
  - command line M:1-4
  - commands A:3-29
  - creating S:4-2
  - creating with path S:4-4
  - culling S:11-8, S:11-9
  - cutting, copying, pasting S:4-9
  - decision logic S:3-25
  - deleting S:2-17, S:4-8
  - direction of gaze S:7-23
  - effect S:3-12, S:8-5
  - enabling and disabling S:4-8
  - entity type enumeration S:14-5
  - event handlers and callbacks S:10-18
  - facial expression S:5-15
  - focus A:2-5
  - generic M:1-4
  - generic procedures S:2-19
  - geometry C:5-16
  - gesture
    - viewing C:5-3
  - group membership S:4-18
  - head
    - changing S:5-4
  - hiding S:4-8
  - I-Guy S:5-11
  - label S:5-17
    - enabling and disabling S:5-18
  - marking text S:14-9
  - motion texture S:7-27
  - movement S:6-2
  - name
    - changing S:5-3
  - origin M:2-5
  - parenting to character S:4-11
  - path A:2-10
  - paths S:6-2
  - performance S:11-2
  - prop S:3-12
  - publishing to network S:14-9
  - quality level C:5-5
  - recording review data S:13-3
  - review data S:13-2
  - scale
    - affecting action S:5-6
    - changing S:5-5
  - scene object S:5-6
  - selecting S:3-13, S:4-7
  - shader S:5-7
  - skinned C:1-5, C:2-13
  - teleporting camera to S:2-20
  - tethering camera to S:3-33
  - time in and time out S:5-6



Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- tracking M:6-2, S:3-34
- tracking with camera S:9-5
- turning into agent A:3-15
- type C:1-4, S:1-2
  - changing S:5-3
- variables S:4-10
- viewing C:5-3
- viewing DOF M:5-2
- waypoint C:1-5
- Character Avoidance tab A:6-25
- Character Objects
  - section S:4-2
- Character Objects tab S:3-13
- Character page A:3-36, A:5-24, C:4-16, S:3-13, S:5-19, S:5-20
  - Events tab S:10-18
  - Performance Settings tab S:11-2
  - review data S:13-3
  - Review Data tab S:13-2
  - Shader tab S:5-7
  - Simulation tab S:5-8
  - tabs S:5-6
- character type C:4-7
  - choosing S:3-9
  - vehicle S:3-11
- Character Viewer C:4-7
  - starting C:5-2
- character\_type
  - creating custom C:3-2
  - definitions C:1-6
- character\_types\_list.cfg
  - configuration file C:1-6
- choosing
  - appearance S:3-10
  - character S:4-5
  - character type S:3-9
- circle
  - rotational M:3-6
- class
  - diguyAgentParams* A:4-2
  - diguyApp* C:5-15
  - diguyCharacter* A:2-9, A:2-19, A:5-15, A:5-19, A:6-14, C:5-15
  - diguyCrowd* A:6-14
  - diguyScenario* C:5-15
  - diguyViewLabel* S:10-12
  - lqt* A:5-3
  - luaCharacter* A:3-31, A:5-3, A:5-9, A:5-12, A:5-15, A:5-24, S:D-4
  - luaLabel* A:5-3
  - luaMiddleEasternPedestrian* A:6-29
  - luaNavmeshHelper* A:5-3
  - luaSensorHelper* A:5-3
  - luaSimModuleHelper* A:5-3
  - luaSimpleFriendlySoldier* A:3-31, A:3-32, A:5-9, A:5-10
  - luaSimpleOpposingSoldier* A:5-10
  - luaSimpleSoldier* A:3-31, A:5-9, A:5-10, A:5-11, A:5-15, A:5-17, A:5-28
  - luaSmartProp* A:5-3
- click and drag mode S:9-4
- clickable object S:10-24
- clipping plane M:6-2, S:9-10
- code editor
  - conventions S:D-2
- codec S:2-13
- coil S:5-21
- Collada C:2-13
- collision detection A:6-9, A:6-12, S:5-12
- color
  - 3D View M:3-15
  - sky S:12-11
- combat A:3-31
- combining
  - scenarios S:2-13
- command
  - character A:3-29
  - diguyEncryptGeometryFile C:1-2
- command line
  - argument S:2-5
  - starting DI-Guy Scenario S:2-4
- command line arguments M:1-4
- command-line option
  - +module S:2-6
  - +plugin S:2-6, S:2-7
  - a M:1-4
  - C M:1-4, S:2-6
  - c M:1-4
  - D S:2-5
  - f S:2-6
  - fullscreen S:2-5
  - fullscreen2 S:2-5
  - g M:1-4
  - hide\_menu S:2-5
  - hide\_status S:2-5

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- i M:1-4
- L S:2-6
- module S:2-6
- N S:2-5
- net S:2-5
- noaudio M:1-4
- nodiguy M:1-4
- noik M:1-4
- nojointlimit M:1-4
- notools M:1-4
- p M:1-4, S:2-5
- plugin S:2-6
- pmu S:2-6
- t M:1-4
- V S:2-6
- v M:1-4
- common\_actors.cfg
  - configuration file C:1-5
- common\_characters.cfg
  - configuration file C:1-5
- common\_links.cfg
  - configuration file C:1-5
- companion crowd A:6-9, A:6-12
- Companion Crowds tab A:6-9, A:6-12
- companion waypoint S:7-8
  - tutorial S:7-9
  - updating S:7-8
- compressing
  - textures S:11-14
- configuration
  - IK M:3-10
    - user defined M:3-11
- configuration file M:1-4
  - actor C:1-6, C:1-7
  - appearances.cfg C:1-6
  - autoloading C:1-7
  - character\_types\_list.cfg C:1-6
  - common\_actors.cfg C:1-5
  - common\_characters.cfg C:1-5
  - common\_links.cfg C:1-5
  - default\_appearance\_effects.cfg C:1-6
  - default\_particle\_descriptions.cfg C:1-6
  - diguy\_actors.cfg C:1-6
  - diguy\_character\_type\_maps.cfg C:1-6
  - diguy\_characters.cfg C:1-6
  - diguy.cfg C:1-4
  - exface\_shapesets.cfg C:1-6
  - gestures.cfg C:1-6
  - including configuration files in C:1-4
  - loaders.cfg C:1-5
  - motex\_arcs.cfg C:1-6
  - network S:2-6
  - required\_characters.cfg C:1-5
  - shader\_matrix\_index\_tables.cfg C:1-5
  - shape\_and\_joint\_data.cfg C:1-5
  - shapeset C:1-7
  - startup S:2-6
- Configure Transition Toolbar dialog box M:4-20
- configuring
  - 3D View M:3-15
  - fog S:12-11
- consolidating
  - project assets M:1-6
- constant S:D-2
- content
  - customizing S:1-7
- control
  - common S:2-19
- convention
  - code editor S:D-2
- converting
  - decision bead to script bead S:7-19
  - converting to script bead S:7-19
- coordinate
  - database S:12-5
  - flat earth S:12-5
  - geocentric S:12-5
  - mouse S:2-17
  - object S:12-10
  - UTM S:12-5
- coordinate system M:3-3
  - 3D View
    - changing M:3-15
- copy M:2-21
- copying
  - characters S:4-9
  - data M:4-8
  - object into scenario S:2-23
  - objects S:2-20
- Create Animation Group dialog box C:4-11
- Create Animation wizard C:4-11
- create mode M:5-3
- creating
  - action beads S:7-3
  - aim bead S:7-21
  - animation C:4-11

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- appearance C:2-17
- character S:4-2
- character with path S:4-4
- character\_type C:3-2
- crowd profile A:5-27
- crowds A:6-3
- decision logic S:7-16
- formation S:4-12
- gaze bead S:7-23
- group S:4-17
- idealized data M:9-5
- library S:2-25
- local path C:4-16
- mind A:3-31
- navmesh 1:7-6
- object S:2-20
- package A:5-25
- path S:4-4, S:6-3
- paths S:3-14
- project M:1-5
- region
  - from Input Mode window 1:7-2
  - from Region page 1:7-3
- scenario C:4-8, S:1-4, S:2-10
- script C:4-5
- sensor region S:8-13
- shapset C:2-17
- signal S:8-16
- variable
  - scenario S:8-20
- waypoint S:6-9
- waypoints S:6-8
  - in 3D View S:6-9
- weapon and equipment combination C:2-20
- crop M:4-10
- cropping
  - motion data M:4-8
- crouched A:2-17
- crowd A:2-3, A:2-10
  - avoidance method A:6-13
  - awareness radius A:6-15
  - behavior path A:6-7
  - callbacks S:C-5
  - companion A:6-9, A:6-12
  - creating A:6-3
  - editing A:6-6, A:6-9
  - editor
    - painting modes A:6-8
  - member
    - adding A:6-10
    - initial position A:6-15
    - looking at A:6-11
    - removing A:6-11
  - population
    - parameters A:6-7
  - profile A:2-4, A:6-15
  - wander A:3-8
- crowd blitz
  - region A:2-12
- crowd member agent parameters A:6-20
- Crowd Members tab A:6-9
- Crowd page A:3-17, A:4-2, A:6-3, A:6-6, A:6-9, A:6-20
- crowd profile
  - creating A:5-27
  - editing A:3-10
- Crowd Profile page A:3-9, A:5-27, A:6-16, A:6-19, A:6-20
- cubic spline interpolation M:4-14
- culling
  - camera frustum S:11-9
  - distance S:11-10
  - objects S:11-8
- curious variant A:2-17
- current time S:2-10
- cursor
  - IK M:2-13
  - position S:2-17, S:12-10
  - sliding M:4-12
  - time M:2-10
- curvature
  - path S:3-15
- curve
  - editing C:4-14
- Curve Select palette C:4-15
- Curves palette C:4-14
- custom
  - content S:1-7
  - directory C:1-2
  - human C:2-13
  - message processing A:5-18
  - PDU's S:14-4
  - scene object C:1-7
  - vehicle C:2-11
- customizing
  - sound C:1-8

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- texture C:1-7
- transitions M:4-20
- cut M:2-21
- cutting
  - characters and paths S:4-9
  - data M:4-8
- D**
- DAE
  - file C:1-5
- data
  - channel
    - manipulating M:4-7
  - cutting, copying, pasting M:4-8
- DOF
  - editing M:5-5
  - pre-blended M:9-5
  - sliding M:4-12
  - stretching M:4-8
  - time-stretch M:4-8
- data\_version C:1-5
- database
  - coordinates S:12-5
- dead space S:A-2
- dead variant A:2-17
- dead-reckoning S:8-3
- debris S:8-5
- debugging
  - minds A:5-21
  - rendering S:11-12
  - scenario S:2-18
- Decision
  - page S:10-4
- decision
  - bead S:6-2
  - converting to script S:10-6
- decision bead S:3-25, S:4-11, S:7-13, S:7-19
  - adding S:7-14
  - animation C:4-17
  - logic for S:7-16
- Decision Bead page C:4-17, S:3-26, S:7-13, S:7-14, S:7-19, S:7-25
- Decision Editor S:3-27, S:7-16, S:10-3
- decision logic S:3-23, S:10-2
  - character S:3-25
  - creating S:7-16
  - mapping S:10-10
  - scenario S:10-3
- Decision page S:10-3, S:10-6
- default
  - message processing A:5-17
  - particles C:1-6
- default action M:7-4
- default camera
  - selecting M:6-11
- default\_appearance\_effects.cfg
  - configuration file C:1-6
- default\_particle\_descriptions.cfg
  - configuration file C:1-6
- defining
  - navigation mesh A:4-4
- definition
  - character\_type C:1-6
  - gesture M:8-2
- degrees of freedom M:2-16
- delete M:2-21
- deleting
  - action S:7-12
  - character S:2-17, S:4-8
  - events A:6-31
  - model mapping S:14-7
  - motion track M:4-6
  - objects S:2-20
- delta time M:2-9
- Demand Loading
  - tab S:11-7
- demand loading
  - terrain S:11-6
- demo
  - mode S:2-5
- Derive Desired Duration S:7-6
- Derive Duration S:7-6
- Derive Length S:7-6
- Derive Repts S:7-6
- description
  - scenario S:2-12
- Desert
  - terrain database S:12-3
- destroy() function A:5-12
- detecting
  - traps A:2-24
- diagram
  - DOF M:5-5
- dialog box
  - Camera M:2-7, M:3-3, M:6-4

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Configure Transition Toolbar M:4-20
- Create Animation Group C:4-11
- Edit Joint Group Asset M:2-18, M:4-5
- Editor Preferences S:5-14, S:12-11
- Export Motion M:2-22, M:9-4
- IK Joint Group Asset M:3-11
- Joint Limits M:3-8, M:5-7
- License Setup G:2-8
- Network Settings S:12-5
- Object Library Selector S:2-26
- Select Available Roles S:4-16
- Signals S:8-17
- Time Offset M:4-12
- View Configuration M:3-15
- die\_now() function A:5-12
- diffuse light S:12-13
- DIGUY
  - environment variable G:2-2, G:2-3
- DI-Guy
  - directory structure G:2-5
  - installing G:2-2, S:2-3
- DI-Guy AI S:1-3, S:9-11, S:C-5
- DI-Guy API S:10-7
- DI-Guy Character Viewer C:2-18, C:4-7
- DI-Guy Extras window M:3-14
- DI-Guy FOM Extensions S:14-9
- DI-Guy Lifeform Server A:1-7
- DI-Guy Motion Editor C:1-7, S:1-5, S:1-7
  - installing M:1-3
  - starting M:1-3
- DI-Guy Scenario A:1-4, C:4-8
  - starting S:2-3, S:3-3
  - command line S:2-4
- DI-Guy SDK A:1-4, A:1-8, S:10-2, S:10-7, S:10-9
  - label functions S:10-12
- diguy\_actors.cfg
  - configuration file C:1-6
- diguy\_character\_type\_maps.cfg
  - configuration file C:1-6
- diguy\_characters.cfg
  - configuration file C:1-6
- diguyAgentParams* class A:4-2
- diguyApp* class C:5-15
- diguy.cfg M:1-4
  - configuration file C:1-4
- diguyCharacter* class A:2-9, A:2-19, A:5-15, A:5-19, A:6-14, C:5-15
- diguyCrowd* class A:6-14
- diguyEncryptGeometryFile
  - command C:1-2
- diguyScenario* class C:5-15
- diguyViewLabel* class S:10-12
- Direct X S:1-4
- directory
  - custom C:1-2
  - DI-Guy G:2-5
- directory structure G:2-5
- DIS G:1-5
  - Enumeration Document S:14-5
  - HLA S:12-5, S:14-2
  - joining exercise S:14-2
- disabling
  - characters S:4-8
  - dynamic object avoidance A:2-23
  - label
    - character S:5-18
    - static avoidance A:2-21
- displaying
  - frame rate S:2-16
  - object text S:2-22
  - objects S:2-27
- distance
  - culling S:11-10
- DLL S:10-9
- documentation
  - Lua A:5-2
- DOF M:2-16, M:3-2
  - data
    - editing M:5-5
- diagram M:5-5
- editing M:3-4
- joint M:3-6
- OpenFlight S:E-2, S:E-3
- selecting M:3-8
- viewing for character M:5-2
- weight M:8-2
- drag
  - camera mover M:6-7
- dragging
  - action beads S:3-21
- Draw Mode tab
  - Preferences dialog box S:2-17
- draw style
  - path S:6-7
- draw() function A:5-12
- DSS file extension S:2-3

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- DT M:2-9
  - command line M:1-4
  - motion M:4-10
    - specifying M:4-20
  - project M:1-5
- dual screen
  - mode S:2-4
- duration
  - action
    - exact S:7-12
- dust S:8-5
- dynamic avoidance
  - repulsion zone A:2-22
- dynamic object avoidance
  - disabling A:2-23
- dynamic obstacles
  - sensing and avoiding A:2-22

## **E**

- Edit Joint Group Asset dialog box M:2-18, M:4-5
- editing
  - action S:7-12
  - action bead S:7-5
  - action beads S:7-5
  - crowd profile A:3-10
  - crowds A:6-6, A:6-9
  - curves C:4-14
  - DOF M:3-4
  - DOF data M:5-5
  - events A:6-30
  - fog setting S:12-13
  - joint M:3-4, M:5-5
  - label S:5-19
  - lighting settings S:12-15
  - lip-synching C:4-13
  - navigation mesh A:4-4
  - package A:5-28
  - path S:6-11, S:6-13
  - path shape A:3-7
  - paths S:3-15
  - pose M:2-13
  - sensor region S:8-15
  - trajectory M:3-12
  - waypoints S:6-11, S:6-12
- editor
  - crowd
    - painting modes A:6-8

- Lua S:D-2
- Editor Preferences dialog box S:5-14, S:12-11
  - General Settings tab S:12-11
- effect
  - character S:3-12, S:8-5
  - offset M:4-19, M:5-3
  - special S:8-5
- effects
  - lighting S:12-13
- elevation slider M:7-4
- Else S:7-16, S:10-3
- embarkation
  - character S:4-11
- enabled
  - speed zone parameter A:2-14
- enabling
  - characters S:4-8
  - label
    - character S:5-18
    - level of detail M:6-13
    - motion track M:4-6
- encrypting
  - geometry C:1-2
- end effector M:3-12
  - joint assembly M:3-10
- end time
  - motion M:4-9
- ending
  - aiming behavior S:7-21
  - gazing S:7-23
  - gesture M:8-11
- entity type S:14-5
  - enumeration S:14-5
- entry\_point() function A:5-12, A:5-15
- enumeration
  - entity type S:14-5
- Enumeration and Bit Encoded Values for Use with Protocols for DIS Applications S:14-5
- environment
  - changing S:3-37
- environment variable
  - DIGUY G:2-2, G:2-3
  - MAKLMGRD\_LICENSE\_FILE G:2-9
  - PATH G:2-2
- equipment
  - new C:2-20
- error
  - reports M:5-8

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- escaping
    - traps A:2-24
  - euler angle S:E-3
  - event S:10-2
    - adding to schedule A:6-30
    - appending A:6-30
    - deleting A:6-31
    - editing A:6-30
    - inserting A:6-30
    - mapping to callback S:10-10
    - timing S:10-9
    - trigger S:10-9
    - types S:10-3
  - event handler S:10-2, S:10-3, S:10-13, S:10-16
    - character S:10-18
  - Event Mapper S:10-10
    - page S:10-10
  - Event Mapper page A:3-11, S:10-16, S:10-24
  - Event Mapping Editor S:10-11
  - Events tab A:6-9, A:6-13
    - Character page S:10-18
  - Ex. Location tab S:12-5
  - exact action
    - parameter A:2-14
  - exact duration S:7-12
  - example
    - aircraft guide A:3-44
    - mind A:5-5
  - execute\_gesture
    - action S:7-25
  - exercise
    - network
      - joining S:14-2
  - Exercise Aim group box M:7-4
  - exercise location S:12-7
  - Exercise Time
    - enabling or disabling S:2-18
  - exercise variant A:2-17
  - exface
    - module S:2-6
  - exface\_shapesets.cfg
    - configuration file C:1-6
  - explosion S:8-5
  - export
    - augmenting with velocities M:9-7
  - Export Motion dialog box M:2-22, M:9-4
  - exporting
    - data from 3DS Max C:4-18
    - motion M:2-22, M:9-3
  - expression
    - face S:5-15
  - expressive face
    - appearances C:1-6
  - Expressive Faces G:1-3, S:1-5, S:1-7, S:5-15
  - expressive local path technique C:4-4
  - Extended Info M:7-4
  - extending
    - mind A:1-6
    - paths S:3-17
  - extent
    - boundary S:11-9
  - extracting
    - pose M:2-12, M:4-10
    - trajectory M:4-10
  - eyepoint. See camera
- ## F
- Face Exp. page C:4-16
  - Face Expressions page S:5-15
  - FaceFX C:4-2, G:1-3, S:1-7
    - appearance C:4-17
  - FaceFX Studio Professional C:4-2
    - lip syncing C:4-10
  - facial expression
    - adding S:5-16
    - previewing S:5-16
  - facing direction
    - action M:7-4
  - FAQ A:8-2, S:A-2
  - far clip S:9-10
  - fast A:2-12
  - fast forward S:2-10
    - speed S:2-17
  - fast reverse S:2-10
  - fastest A:2-12
  - federation object model S:14-7
  - feeler A:2-20
    - parameters A:2-21
    - static avoidance A:2-20
  - feet
    - sliding S:A-2
    - slipping S:7-13
  - field
    - related S:D-4
  - field of view M:6-2, S:9-10

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- file
  - configuration M:1-4
  - custom
    - directory C:1-2
  - DAE C:1-5
  - extension
    - DSS S:2-3
  - project M:1-4
- fill mode
  - polygon S:11-12
- filtering
  - Appearance list C:5-3
- find\_lua\_character() function A:5-15
- find\_navigation\_path() function A:4-3
- finite state machine A:1-6, A:5-2, C:4-4
- fire S:8-5
- firing
  - using joystick S:5-13
- first person POV S:5-13, S:9-6
- fixation point M:6-2
  - gaze S:2-17
- flat earth
  - coordinates S:12-5
- flee
  - behavior A:3-10
- flee behavior A:2-8
- FLEXIm G:2-7
- floating
  - window S:2-18
- floor color M:3-15
- fly
  - camera mover M:6-9
- focal distance M:6-2
- focus
  - character A:2-5
- fog
  - adding setting S:12-12
  - configuring S:12-11
  - setting
    - editing S:12-13
- fog mode
  - OpenGL S:12-11
- Fog page S:3-37, S:12-12, S:12-13
- FOM S:14-7
- force\_action() function A:2-10
- format
  - BVH M:1-2
  - time S:2-18
- formation A:3-30
  - creating S:4-12
  - guides S:4-14
  - role S:4-16
  - subgroup S:4-15
- Formations page S:4-13
- forward action S:7-8
- forward travel mode M:4-11
- FOV M:6-2, S:9-10
- frame
  - indicator M:4-9
  - stepping through scenario S:2-10
- frame rate
  - affected by foreground functions A:4-6
  - displaying S:2-16
- Free
  - camera button M:2-15
- free camera
  - projection mode S:9-9
- free mode A:2-9, A:2-10
- friendly
  - group S:4-17
- frustum S:9-10
  - camera
    - culling S:11-9
- fullscreen
  - mode S:2-5
- function
  - add\_wakeup\_callback() A:5-19
  - agent\_accept\_message() A:5-19
  - agent\_broadcast\_message\_to\_group() A:5-19
  - agent\_broadcast\_message() A:5-19
  - agent\_move\_to\_point\_bg() A:4-3, A:4-6
  - agent\_move\_to\_point\_via\_subregions\_bg() A:4-3, A:4-6
  - agent\_move\_to\_point\_via\_subregions() A:4-3, A:4-6
  - agent\_move\_to\_point() A:4-3
  - agent\_move\_to\_region\_via\_subregion() A:4-3
  - agent\_move\_to\_region() A:4-3
  - agent\_set\_auto\_variant\_selection() A:2-19
  - background A:4-6
  - background and foreground A:4-6
  - become\_aggressive() A:5-11
  - begin\_state() A:5-12
  - destroy() A:5-12
  - die\_now() A:5-12
  - draw() A:5-12



Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

entry\_point() A:5-12, A:5-15  
 find\_lua\_character() A:5-15  
 find\_navigation\_path() A:4-3  
 force\_action() A:2-10  
 generate\_navmesh() A:4-4  
 get\_ui\_signals() A:5-24  
 get\_ui\_state\_label() A:5-21, A:5-24  
 get\_user\_selected\_character() A:5-12  
 get\_user\_selected\_point() A:5-12, A:5-17  
 init\_package() A:5-11, A:5-15  
 init() A:5-10, A:5-11, A:5-12, A:5-15  
 library S:10-9  
 move\_to\_background\_check() A:5-11  
 move\_to\_point() A:2-9  
 object
 

- autocomplete S:D-2

 on\_impact\_callback() A:5-11, A:5-15  
 on\_target\_acquired() A:5-18  
 patrol\_state() A:5-16  
 process\_attack\_callbacks() A:5-14  
 process\_attack\_messages() A:5-14  
 process\_callbacks() A:5-14, A:5-17  
 process\_message\_attack() A:5-18  
 process\_message() A:5-14, A:5-15  
 process\_messages\_attack() A:5-18  
 process\_messages\_callback() A:5-17  
 process\_messages\_signals() A:5-17  
 process\_messages() A:5-16, A:5-17, A:5-18, A:5-19  
 process\_signals() A:5-14  
 process\_travel\_callbacks() A:5-14  
 process\_travel\_messages() A:5-14  
 reset() A:5-12  
 return\_to\_patrol\_path() A:5-16  
 SDK S:10-2  
 set\_desired\_position() A:2-9, A:2-10  
 simple\_move\_to\_state() A:5-12, A:5-18  
 sleep\_ignore\_messages() A:5-12  
 sleep\_process\_messages() A:4-7, A:5-12  
 sleep\_until() A:5-12  
 sleep() A:5-12  
 state
 

- sections A:5-16

 state\_manager() A:5-12  
 tostring() A:5-24  
 wait\_for\_message() A:4-7, A:5-12

## G

gain
 

- joystick S:5-14

 gaze
 

- bead S:6-2
- character S:7-23
- ending S:7-23
- fixation point S:2-17

 gaze angle mode S:7-23  
 gaze bead
 

- creating S:7-23

 Gaze Bead page S:7-24  
 gaze character mode S:7-23  
 gaze point mode S:7-23  
 General Settings tab
 

- Editor Preferences dialog box S:12-11

 General tab
 

- Preferences dialog box S:2-16

 generate\_navmesh() function A:4-4  
 generating
 

- navigation mesh A:4-4

 generic character M:1-4  
 generic gestures S:7-25  
 geocentric
 

- coordinates S:12-5

 geometry
 

- changing C:2-8
- character C:5-16
- directory G:2-5
- encrypting C:1-2
- loading S:2-18, S:11-14
- optimizing S:2-18, S:11-14

 Geometry Loading tab
 

- Preferences dialog box S:2-18

 Geometry Overview window C:5-16  
 geometry\_set\_priority\_list C:1-5  
 gesture C:1-6, M:8-2, S:7-25
 

- character
  - viewing C:5-3
- definition M:8-2
- ending M:8-11
- generic S:7-25
- head S:7-25
- previewing S:7-26
- triggering M:8-11
- weight M:8-11

 Gesture Parameters tab M:8-7

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Gesture Previewer S:7-26
- gesture table M:8-3
  - saving M:8-6
  - selecting M:8-2
- Gesture Table Editor M:7-2, M:8-3
  - opening M:8-4
- Gestures tab M:8-11
- gestures.cfg
  - configuration file C:1-6
- get\_ui\_signals() function A:5-24
- get\_ui\_state\_label() function A:5-21, A:5-24
- get\_user\_selected\_character() function A:5-12
- get\_user\_selected\_point() function A:5-12, A:5-17
- ghost
  - untrapped method A:2-25
- goal
  - IK M:3-12
- Grab Pose button M:2-12, M:4-7, M:4-10
- Grab Trajectory button M:3-12, M:4-7, M:4-10
- graphics
  - LOD S:11-6
- grid
  - 3D View M:3-3
  - terrain S:12-8
- grid color M:3-15
- ground clamping
  - waypoints S:6-13
- group
  - creating S:4-17
  - membership
    - character S:4-18
- Group page S:4-17
- GUI
  - common procedures S:2-19
- guide S:8-3
  - formation S:4-14
- Guide page S:4-14, S:8-4

## H

- hand item S:3-10
- head
  - character
    - changing S:5-4
    - nodding and shaking S:7-25
    - setting up for Expressive Faces C:4-20
- header
  - motion track M:4-5

- track M:4-4
- heading
  - camera S:12-10
- helicopter
  - example A:3-44
- hiding
  - audio track M:1-4
  - characters S:4-8
  - IK M:1-4
  - joint limit track M:1-4
  - menu bar S:2-5
  - objects S:2-27
  - paths S:6-7
  - status bar S:2-5
  - Tools menu M:1-4
- hierarchical finite state machine A:5-2, C:4-4
- High Level Architecture
  - HLA S:14-7
- HLA
  - RPR FOM S:14-5
- HLA 1.3 G:1-5, S:14-7
- HLA 1516 G:1-5, S:14-7
- HLA Evolved G:1-5, S:14-7
- hold interpolation M:4-14
- hostile
  - group S:4-17
- hostname
  - license server G:2-8
- hot key M:11-2, S:B-2
  - camera setting S:9-8
  - camera settings S:9-8
  - loading camera setting S:9-8
- hot object S:10-24
- human
  - custom C:2-13

## I

- ID
  - callback S:C-2
- ideal motion type M:9-5
- idealized data M:9-2
  - creating M:9-5
  - updating M:9-5
- idle behavior A:2-9
- If S:7-16, S:10-3
- igloo blend M:4-15
- I-Guy

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- camera
    - controlling from script S:9-10
  - character S:5-11
  - keyboard and mouse control S:5-14
  - mode S:5-11
  - I-Guy Settings page S:5-12
  - I-Guy tab S:5-14
    - Preferences dialog box S:2-17
  - IK
    - cursor M:2-13
    - goal M:3-12
    - hiding M:1-4
    - position M:3-12
    - rotation M:3-12
    - setting M:1-4
  - IK button M:2-13, M:3-10
  - IK configuration M:3-10
    - button
      - user defined M:3-11
  - IK Hold M:3-12
  - IK hold transition M:4-17
  - IK Igloo blend M:3-12
  - IK igloo blend M:4-18
  - IK interpolation transition M:4-16
  - IK Joint Group Asset dialog box M:3-11
  - IK Linear Interpolation M:3-12
  - IK linear interpolation M:4-17
  - IK mode M:3-2
    - 3D View M:3-10
  - IK Teepee blend M:3-12
  - IK teepee blend M:4-18
  - IK trajectory M:4-7
  - importing
    - file
      - Bio-Vision Hierarchical M:9-3
      - library into scenario S:2-26
      - motion M:9-3
      - project M:1-5
  - Independent From/To check box M:7-6
  - index
    - object
      - changing S:2-21
      - path S:6-4
  - Info Popup
    - page S:10-19
  - info popup
    - opening from script S:10-20
  - Info window M:2-9, M:3-12
  - information
    - logging S:2-15
    - popup window S:10-19
    - track M:4-22
  - init\_package() function A:5-11, A:5-15
  - init() function A:5-10, A:5-11, A:5-12, A:5-15
  - Initial Motion Texture S:7-27
  - initial orientation S:5-4
  - initial path S:5-4
  - initial play mode S:2-5
  - initial position S:5-4
    - crowd member A:6-15
  - initialization
    - script S:2-7, S:2-8
  - injured variant A:2-17
  - Input Mode
    - window S:9-2
  - input mode
    - Camera S:9-2
  - Input Mode window A:6-6, S:3-3, S:4-2
  - inserting
    - action S:7-11
    - events A:6-30
    - waypoint S:6-9
    - waypoints S:3-18
  - installing
    - DI-Guy Motion Editor M:1-3
    - DI-Guy Scenario S:2-3
      - on Linux G:2-4
      - on Windows G:2-2
  - interaction machine S:10-21, S:10-22
  - Interaction Machines page S:10-22
  - interpolation
    - cubic spline M:4-14
    - hold M:4-14
    - IK linear M:4-17
    - linear M:4-14
    - polynomial M:4-14
    - transitions M:4-13
  - inverse kinematics M:2-13, M:3-9
  - Inverse Kinematics mode M:3-10
  - Is Scene Object S:5-6
- J**
- Jailhouse
    - terrain database S:12-3
  - joining

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- exercise S:14-2
- joint C:1-4, M:5-5, S:1-3
  - adjusting M:3-8
  - DOF M:3-6
  - editing M:3-4, M:5-5
  - limits
    - setting M:5-7
  - moving M:3-8
  - number of C:4-22
  - pin M:3-6
  - proximal M:3-7
  - rotational limit M:3-8
  - selecting M:3-7
- joint assembly
  - end effector M:3-10
- Joint Edit window M:2-18
- Joint Editor M:2-13, M:5-2
  - opening M:2-16, M:5-3
  - using M:5-5
- Joint Editor window M:4-21
- joint error track M:4-21
- Joint Group Asset M:2-12, M:3-10, M:4-5
- joint group asset M:4-16
- Joint Group Asset Editor M:4-5
- joint limit
  - track
    - hiding M:1-4
- joint limits
  - report M:5-8
- Joint Limits dialog box M:3-8, M:5-7
- joint rotational limits
  - setting M:5-7
- joystick S:5-11
  - aiming and firing
    - first person POV S:5-13
    - third person POV S:5-13
  - button
    - mapping S:5-13
  - gain S:5-14
  - settings S:2-17
  - using S:5-11
- jumping
  - camera S:3-32

## K

- keyboard S:5-11
  - I-Guy mode S:5-14

- shortcuts S:B-2
- keyboard shortcut M:11-2
- keyframe S:8-9, S:8-10
- keyword
  - switch S:E-2
- Khost Afghanistan
  - terrain database S:12-3
- kinematics M:3-9
  - inverse M:2-13, M:3-9

## L

- label
  - button S:5-17, S:10-13
  - character S:5-17
    - enabling and disabling S:5-18
  - editing S:5-19
  - function
    - SDK S:10-12
  - property sheet S:5-20
  - screen S:5-17, S:10-13
- Label tab A:5-24
- level of detail
  - enabling and disabling M:6-13
  - tuning S:11-4
- library
  - adding objects to S:2-25
  - creating S:2-25
  - function S:10-9
  - importing into scenario S:2-26
  - managing S:2-25
  - object A:6-19, S:2-21
- Library Function
  - page S:10-9
- License Manager G:2-7
- license server
  - hostname G:2-8
- License Setup dialog box G:2-8
- lifeform server A:1-7
- light
  - setting
    - adding S:12-14
- Light page S:3-37, S:12-14, S:12-15
- lighting
  - advanced C:5-8
  - applying C:5-7
  - effects S:12-13
  - fog S:3-37

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- setting
    - editing S:12-15
- limit
  - joint rotation M:3-8
- limits
  - joint
    - setting M:5-7
- linear
  - offset effect M:5-3
- linear blend M:4-15
- linear interpolation M:4-14
- link C:1-4, M:5-5, S:1-3
  - selecting M:3-7
- Linux S:1-4
  - installing DI-Guy G:2-4
- lip syncing
  - FaceFX Studio Professional C:4-10
- lip-synching
  - editing C:4-13
- load
  - radius S:11-6
- load management S:11-11
- Load Manager S:11-2, S:11-10
- Load Radius S:11-7
- loaders.cfg
  - configuration file C:1-5
- loading
  - camera setting S:9-8
  - camera settings M:6-11, S:9-6
  - geometry S:11-14
  - module
    - startup S:2-6
  - plug-in S:2-6
  - plug-ins S:2-7
  - review data S:13-4
  - scenario S:2-10
  - terrain S:3-35
  - terrains S:12-4
- local
  - project M:1-6
- local path S:6-7
  - creating C:4-16
- location
  - terrain S:12-5
- locking
  - Timeline M:4-10
  - tracks M:4-6
- LOD M:6-13
  - graphics S:11-6
  - tuning S:11-4, S:12-9
  - tuning for terrain S:11-5
- LOD level
  - viewing different C:5-7
- LOD Range Scale Factor S:11-5, S:12-9
- LOD tuning
  - terrain S:12-9
- Log
  - window S:2-15
- log
  - sending to file S:2-6
- log file
  - notification level S:2-5
- Log window C:5-18
  - notification level S:2-6
  - opening M:1-6
- logic
  - decision S:7-13
  - creating S:7-16
- Look At M:6-2, S:9-5
  - overriding S:9-11
- Look From M:6-2, S:3-33
  - overriding S:9-11
- looking
  - character
    - direction S:7-23
- looking at crowd member A:6-11
- looped
  - motion arc M:7-6
- lqt* class A:5-3
- Lua A:1-6, A:3-18, S:7-19, S:7-20, S:10-2, S:10-6, S:10-7
  - autocomplete S:D-2
  - coding FAQ A:8-2
  - documentation A:5-2
  - editor S:D-2
  - mind A:1-4
  - module A:5-3
  - package A:5-8
  - querying for related objects and fields S:D-4
  - script A:5-8, A:5-25
  - running C:5-15, M:1-6
  - syntax analyzer S:D-2
- Lua Mind Editor page A:3-31, A:5-6, A:5-8, A:5-10, A:5-13, A:5-25
- luaCharacter
  - package A:5-12

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

*luaCharacter* class A:3-31, A:5-3, A:5-9, A:5-12, A:5-15, A:5-24, S:D-4  
*luaCharacter.init\_code* A:5-24  
*luacore.lua* S:D-4  
*luaLabel* class A:5-3  
*luaMiddleEasternPedestrian* class A:6-29  
*luaNavmeshHelper* class A:5-3  
*luaSensorHelper* class A:5-3  
*luaSimModuleHelper* class A:5-3  
*luaSimpleFriendlySoldier*  
package A:5-10  
*luaSimpleFriendlySoldier* class A:3-31, A:3-32, A:5-9, A:5-10  
*luaSimpleOpposingSoldier* class A:5-10  
*luaSimpleSoldier*  
package A:5-11, A:5-15  
*luaSimpleSoldier* class A:3-31, A:5-9, A:5-10, A:5-11, A:5-15, A:5-17, A:5-28  
*luaSmartProp* class A:5-3

## M

machine  
finite state C:4-4  
interaction S:10-21  
state S:10-21  
MAKLMGRD\_LICENSE\_FILE  
environment variable G:2-9  
managing  
library S:2-25  
marking text  
character S:14-9  
material  
enabling and disabling S:11-12  
Max Ticks Behind Until Skip S:11-4  
medium A:2-12  
memory management S:2-18, S:11-14  
menu bar  
hiding S:2-5  
merging  
scenarios S:2-13  
message  
processing A:5-4  
message processing  
custom A:5-18  
default A:5-17  
method  
background A:4-6  
Microsoft Sidewinder Precision 2 S:5-11  
Middle East Town  
scenario A:3-42  
terrain database S:12-3  
mind A:3-21, A:5-2  
architecture A:5-4  
creating A:3-31  
debugging A:5-21  
example A:5-5  
extending A:1-6  
Lua A:1-4  
sleep] A:5-19  
mingle behavior A:2-7  
minima A:4-2  
Misc tab A:6-15  
mode  
army C:5-9  
create M:5-3  
demo S:2-5  
dual screen S:2-4  
forward travel M:4-11  
fullscreen S:2-5  
I-Guy S:5-11  
IK M:3-2  
Inverse Kinematics M:3-10  
Mouse Move S:9-3  
offset pose edit M:5-3  
Path Edit S:3-6  
Pose Edit M:2-15, M:3-2, M:3-4  
pose edit M:5-3  
Position M:5-3  
projection S:9-9  
review M:5-3  
Snap-to M:4-12  
Velocity M:5-3  
velocity M:5-5  
model  
terrain S:3-4, S:12-2  
model mapping  
adding S:14-6  
deleting S:14-7  
reloading S:14-7  
module  
exface S:2-6  
loading and unloading at startup S:2-6  
Lua A:5-3  
net\_dis S:2-6  
net\_hla S:2-6

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- particles S:2-6
- script\_lua S:2-6
- sound\_openal S:2-6
- Motex Gain S:7-27
- motex\_arcs.cfg
  - configuration file C:1-6
- motion C:1-7, M:4-7
  - adding to channel M:4-7
  - adding to Timeline M:2-9
  - arc M:7-6
  - blending pose M:2-11
  - blending pose into M:2-18
  - camera direction S:9-2
  - DT M:4-10
  - exported
    - previewing M:9-7
  - exporting M:2-22, M:9-3
    - file naming convention M:9-7
  - file
    - type M:9-7
  - idealized data M:9-2
  - importing M:9-3
  - loading into project M:2-8
  - null M:7-7
  - padding M:9-6
  - playing M:3-4
    - 3D View M:2-10
  - previewing M:2-8
  - start and end time M:4-9
  - textures C:1-6
- motion arc M:7-5
  - looped M:7-6
- Motion Arcs tab M:8-11
- motion data
  - cropping M:4-8
  - previewing M:4-9
- motion DT
  - specifying M:4-20
- Motion Editor G:1-4
- Motion Preview M:2-6
- motion texture
  - character S:7-27
- motion track M:4-4
  - active M:4-4
  - adding M:4-6
  - deleting M:4-6
  - enabling M:4-6
  - moving up or down M:4-6

- removing M:4-6
- motion track header M:4-5
- mouse S:5-11
  - button S:9-2
  - coordinates S:2-17
  - I-Guy mode S:5-14
- Mouse Move mode S:9-3
  - camera speed S:9-4
- move\_to\_background\_check() function A:5-11
- move\_to\_point() function A:2-9
- movement
  - preferred regions A:4-5
  - stepping sideways or backwards S:7-8
- mover
  - camera M:6-7
- movie
  - AVI or TIFF S:2-17
  - recording scenario to S:2-13
- moving
  - action M:7-3
  - action bead S:3-21, S:7-7
  - camera S:3-5, S:9-2
  - joint M:3-8
  - transition M:4-19
  - waypoints S:3-15, S:6-13
- multifloor movement A:3-34
- multiple 3D windows S:2-18

## N

- name
  - character
    - changing S:5-3
- nav path
  - untrap method A:2-25
- navigation mesh A:4-2
  - calling from API A:4-3
  - defining A:4-4
  - editing A:4-4
  - generating A:4-4
  - using with base behavior A:4-5
- navmesh A:2-10, A:4-2
  - creating 1:7-6
- navmesh. See navigation mesh
- near clip S:9-10
- net\_dis
  - module S:2-6
- net\_hla

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- module S:2-6
- network
  - configuration file S:2-6
  - connecting to at startup S:2-5
  - publishing
    - character S:14-9
- Network Model Map S:14-6
- Network Model Map Editor S:14-5
- Network Settings dialog box S:12-5
- network updates S:8-3
- neutral
  - group S:4-17
- new
  - project M:1-5, M:2-5
- no progress trap A:2-24
- nodding
  - head S:7-25
- none
  - camera mover M:6-10
  - untrapped method A:2-25
- none behavior A:2-10
- non-forward action S:7-8
- normal variant A:2-17
- normals
  - visualizing S:11-12
- notification level S:2-15
  - log file S:2-5
  - Log window S:2-6
- null
  - motion M:7-7
- null motion arc M:7-5

## **O**

- object
  - adding S:2-20
  - avoidance
    - disabling A:2-23
  - coordinate S:12-10
  - copying S:2-20
  - copying into scenario S:2-23
  - culling S:11-8
  - deleting S:2-20
  - displaying S:2-27
  - function
    - autocomplete S:D-2
    - generic procedures S:2-19
    - hiding S:2-27

- hot S:10-24
- index
  - changing S:2-21
  - libraries A:6-19, S:2-21
  - related S:D-4
- scene
  - avoidance method A:6-13
- static A:2-20
  - avoidance A:6-23
- sub shape S:11-9
- text
  - displaying S:2-22
- Object Library Manager S:2-25
- Object Library Selector dialog box S:2-26
- obstacle
  - agent A:2-19
  - avoidance
    - disabling A:2-23
    - avoiding A:2-5, A:2-20
  - dynamic
    - sensing and avoiding A:2-22
  - static A:2-20
- offset
  - effect M:4-19
- Offset Effect M:4-18
- offset effect M:5-3
  - transition M:9-3
  - transitions M:4-18
- offset effect blend M:4-19
- Offset Effect Linear M:4-18
- offset effect linear M:5-3
- offset pose edit mode M:5-3
- on\_impact\_callback() function A:5-11, A:5-15
- on\_target\_acquired() function A:5-18
- one-column
  - table M:7-7
- one-column table-three-column table M:7-6
- OpenFlight
  - DOF S:E-3
  - DOF and switches S:E-2
- OpenGL S:1-4
  - fog mode S:12-11
- opening
  - 3D View M:3-2
  - Action Table Editor M:7-2
  - actor C:4-10, C:4-15
  - animation set C:4-15
  - Camera dialog box M:6-4



Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Gesture Table Editor M:8-4
  - Joint Editor M:2-16, M:5-3
  - Log window M:1-6
  - Outliner M:5-4
  - Project window M:1-5
    - scenario S:2-10
    - Timeline M:4-4
  - OpenSceneGraph S:1-4
  - operating system
    - support A:1-8
  - optimizing
    - geometry S:2-18
    - geometry files S:11-14
  - option
    - command-line S:2-5
  - OR S:7-16, S:10-3
  - orientation
    - camera M:6-2, S:9-3
    - in repulsion zone A:2-22
    - lighting S:12-13
  - origin M:3-3
    - character M:2-5
  - Ortho XY projection mode S:9-9
  - orthographic projection mode S:9-9
  - out of reach
    - trajectory goal M:3-13
  - Outliner M:5-4
    - opening M:5-4
  - output file
    - specifying M:9-7
  - overlay
    - text S:2-17
- P**
- package A:5-25
    - creating A:5-25
    - editing A:5-28
    - Lua A:5-8
    - luaCharacter A:5-12
    - luaSimpleFriendlySoldier A:5-10
    - luaSimpleSoldier A:5-11, A:5-15
  - padding
    - motion M:9-6
  - page
    - Action S:7-2
    - Action Bead S:7-3, S:7-4, S:7-5, S:7-7, S:7-8, S:7-9
    - Action Spreadsheet S:7-11, S:7-12
    - Aim Bead S:7-22
    - Camera S:3-31, S:3-33, S:9-4, S:9-7, S:9-8, S:9-10, S:9-11
    - Chain Settings S:5-21
    - Character A:3-36, A:5-24, C:4-16, S:3-13, S:5-19, S:5-20
      - review data S:13-3
    - Crowd A:3-17, A:4-2, A:6-3, A:6-6, A:6-9, A:6-20
    - Crowd Profile A:3-9, A:5-27, A:6-16, A:6-19, A:6-20
    - Decision S:10-3, S:10-4, S:10-6
    - Decision Bead C:4-17, S:3-26, S:7-13, S:7-14, S:7-19, S:7-25
    - Event Mapper A:3-11, S:10-10, S:10-16, S:10-24
    - Face Exp. C:4-16
    - Face Expressions S:5-15
    - Fog S:3-37, S:12-12, S:12-13
    - Formations S:4-13
    - Gaze Bead S:7-24
    - Group S:4-17
    - Guide S:4-14, S:8-4
    - I-Guy Settings S:5-12
    - Info Popup S:10-19
    - Interaction Machines S:10-22
    - Library Function S:10-9
    - Light S:3-37, S:12-14, S:12-15
    - Lua Mind Editor A:3-31, A:5-6, A:5-8, A:5-10, A:5-13, A:5-25
    - Particle System S:8-5
    - Path C:4-17, S:6-3, S:7-26
    - Path Shape A:3-34, A:3-40
    - Region A:3-34, A:4-4, A:5-5, 1:7-2, 1:7-3, 1:7-4, 1:7-5, 1:7-6
    - Scenario Info S:2-12
    - Scene Object S:3-35, S:11-7, S:12-4
    - Scene Object Grid S:12-8
    - Schedule Editor A:6-28, A:6-29
    - Script A:3-11, A:3-12, A:3-18, A:3-37, S:2-8, S:2-9, S:10-6, S:10-7, S:10-13
    - Script Bead S:7-19, S:7-20
    - Scripts S:10-23
    - Sensor Region S:8-15
    - Signal S:8-16
    - Variable S:8-20

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Visibility A:3-7, A:3-22, 1:7-4, S:5-18, S:6-7, S:8-5
- Waypoint S:6-9, S:6-10, S:6-12, S:6-13
- Weapon Parameters S:5-10
- paging
  - terrain S:12-8
- painting mode
  - crowd editor A:6-8
- palette
  - Curve Select C:4-15
  - Curves C:4-14
- parameter
  - particle system S:8-8
  - radius variation A:2-16
  - speed zone A:2-14
  - Start At Radius A:2-14
  - weapon S:5-10
- parameters
  - crowd member agent A:6-20
  - feeler A:2-21
- parenting
  - character to character S:4-11
- particle
  - default C:1-6
- particle system S:3-12, S:8-5
  - adding S:8-7
  - box
    - showing and hiding S:8-5
    - parameters S:8-8
- Particle System page S:8-5
- particles
  - module S:2-6
- paste M:2-21
- pasting
  - characters S:4-9
  - data M:4-8
- PATH
  - environment variable G:2-2
- path
  - branched S:6-14
  - character A:2-10, S:6-2
  - creating S:3-14, S:4-4, S:6-3
  - curvature S:3-15
  - cutting, copying, and pasting S:4-9
  - draw style S:6-7
  - editing S:3-15, S:6-11, S:6-13
  - extending S:3-17
  - hiding S:6-7
  - index S:6-4
  - local
    - creating C:4-16
  - planning
    - automatic A:4-2
    - using API A:4-3
  - regular and local S:6-7
  - selecting S:3-14, S:6-6
  - shape S:8-11
  - waypoint S:6-2
  - waypoints S:6-8
- Path Edit mode S:3-6
- path follow behavior A:2-6
- path mode A:2-10
- Path page C:4-17, S:6-3, S:7-26
- path planning A:1-5
  - background A:4-6
- path shape A:2-5, A:2-6, A:3-34, S:6-2
  - editing A:3-7
  - stairway A:3-34
- Path Shape page A:3-34, A:3-40
- patrol\_state() function A:5-16
- pattern of life A:3-26, A:6-28, A:6-29
- PDU
  - custom S:14-4
- Penn Station
  - terrain database S:12-3
- people
  - adding to scenario S:3-6
- PeopleBlitzer S:3-7, S:4-2
- performance
  - character S:11-2
  - culling S:11-8
  - demand loading S:11-6
  - function choice A:4-6
  - Load Manager S:11-10
  - LOD tuning S:11-4
  - rendering quality S:2-17
  - tick rate S:11-3
  - tuning S:11-2
- Performance Settings tab
  - Character page S:11-2
- Phonemes tab C:4-13
- pin
  - joint M:3-6
- plan view
  - camera mover M:6-10
- Planview XY projection mode S:9-9

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Planview XZ projection mode S:9-9
- Planview YZ projection mode S:9-9
- platform support A:1-8
- platforms
  - supported S:1-4
- play mode
  - initial S:2-5
- playback
  - speed M:3-4
  - starting and stopping S:2-10
- Playback Controller, M:3-4
- player
  - Preview M:2-8
- playing
  - motion M:3-4
    - 3D View M:2-10
  - review data S:13-4
  - scenario S:2-10, S:3-8
- plug-in
  - loading S:2-7
  - loading and unloading at startup S:2-6
- plug-in architecture S:1-5
- point of view
  - camera S:3-34, S:9-6
- POL A:6-29
- polygon
  - fill mode S:11-12
- polygon fill mode S:2-18
- polynomial blend M:4-15
- polynomial interpolation M:4-14
- Populate Entries table A:2-4, A:6-18
- Populate Settings tab A:6-17
- population
  - crowd A:6-7
- popup window
  - information S:10-19
- pose M:4-7
  - adding to channel M:4-7
  - blending in motion M:2-11
  - blending into motion M:2-18
  - editing M:2-13
  - extracting M:2-12, M:4-10
  - runtime M:3-10, M:4-7, M:5-2
- Pose Edit button M:2-15
- Pose Edit mode M:2-15, M:3-2, M:3-4
- pose edit mode M:5-3
- Pose Update Rate S:11-11
- poser gizmo M:3-5, M:3-6
- posing gizmo M:2-15
- posing tool M:3-5
- Posing Tool button M:3-4, M:3-6
- position
  - crowd member A:6-15
  - cursor S:2-17, S:12-10
  - IK M:3-12
- Position mode M:5-3
- Position Update Rate S:11-11
- post
  - translational M:3-5
- posture A:2-5, A:2-12, A:2-17
  - crouched A:2-17
  - prone A:2-17
  - upright A:2-17
- POV S:3-34
  - camera S:9-6
- pre-blended
  - data M:9-5
- preferences
  - setting S:2-16
- Preferences dialog box
  - Draw Mode tab S:2-17
  - General tab S:2-16
  - Geometry Loading tab S:2-18
  - I-Guy tab S:2-17
  - Windows tab S:2-18
- Preferences DI-Guy
  - Camera tab S:2-17
- preferred
  - subregion A:4-5
- Preview player M:2-8
- previewing
  - exported motion M:9-7
  - facial expression S:5-16
  - gesture S:7-26
  - motion M:2-8
  - motion data M:4-9
- primary
  - variant M:7-4
- Primary 3D View window S:3-3
- primary variant
  - aim M:7-4
- priority
  - channel M:4-7
- procedure
  - common S:2-19
- process\_attack\_callbacks() function A:5-14

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- process\_attack\_messages() function A:5-14
- process\_callbacks() function A:5-14, A:5-17
- process\_message\_attack() function A:5-18
- process\_message() function A:5-14, A:5-15
- process\_messages\_attack() function A:5-18
- process\_messages\_callback() function A:5-17
- process\_messages\_signals() function A:5-17
- process\_messages() function A:5-16, A:5-17, A:5-18, A:5-19
- process\_signals() function A:5-14
- process\_travel\_callbacks() function A:5-14
- process\_travel\_messages() function A:5-14
- profile
  - crowd A:2-4, A:6-15
- project M:1-5
  - asset M:2-12
    - consolidating M:1-6
  - creating M:1-5
  - DT M:1-5
  - file M:1-4
  - importing M:1-5
  - loading motion M:2-8
  - local M:1-6
  - new M:1-5, M:2-5
  - saving M:1-5
- Project window M:2-5, M:2-8, M:2-12, M:4-7, M:4-9
  - opening M:1-5
- projection
  - mode S:9-9
- projection mode
  - camera speed S:9-9
- prone A:2-17
- prop
  - avoidance A:6-23
  - avoidance method A:6-13
  - character S:3-12, S:5-21
- Prop and Scene Object Avoidance tab A:6-23
- property sheet
  - label S:5-20
- propogating
  - action beads S:7-5
- protocol data unit
  - PDU S:14-2
- proximal
  - joint M:3-7
- publishing
  - actor C:4-20

- character to network S:14-9
- pursue behavior A:2-8
- pyramid
  - behavior A:1-4

## Q

- quality
  - rendering S:11-12
  - visual S:11-12
- quality level
  - character C:5-5

## R

- radius
  - awareness A:6-15
  - load S:11-6
  - unload S:11-6
- radius variation A:2-16
- Ramp Editor S:5-7
- rampdown M:8-9
- rampup M:8-9
- random turn
  - untrapped method A:2-25
- range selector M:2-22, M:4-9
- read-only
  - scenario S:2-12
- ready variant A:2-17
- recording
  - scenario S:2-13
  - voice C:4-9
- redo M:2-21
- region A:2-5, A:2-10, A:2-12, A:3-34, A:3-41, 1:7-2
  - creating
    - from Region page 1:7-3
    - Input Mode window 1:7-2
  - crowd blitz A:2-12
  - sensor S:3-24, S:8-12
    - callback S:C-4
    - editing S:8-15
- Region page A:3-34, A:4-4, A:5-5, 1:7-2, 1:7-3, 1:7-4, 1:7-5, 1:7-6
- Region Painter A:2-10, 1:7-2
- Region Painter Mode 1:7-4
- regular path S:6-7
- reloading

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- model mapping S:14-7
- removing
  - action M:7-3
  - crowd member A:6-11
  - motion track M:4-6
- renaming
  - action M:7-3
  - camera M:6-12
- rendering
  - debugging S:11-12
  - quality S:11-12
- rendering quality
  - performance S:2-17
- report
  - error M:5-8
  - joint limits M:5-8
- reps attribute S:7-6
- repulsed
  - subregion A:4-5
- repulsion factor A:2-22
- repulsion radius A:2-22
- repulsion zone A:2-12, A:2-22
  - interaction with speed zone A:2-23
  - orientation A:2-22
  - speed type A:2-23
- required\_characters.cfg
  - configuration file C:1-5
- required\_sdk\_version C:1-5
- Reset Values button M:7-4
- reset() function A:5-12
- resetting
  - scenario S:2-10
- resolution
  - managing for performance S:11-4
- return\_to\_patrol\_path() function A:5-16
- reverse
  - playback S:2-10
- review data
  - character S:13-2
  - controlling camera S:9-10
  - playing S:13-4
  - recording for individual character S:13-3
- Review Data tab S:13-3
  - Character page S:13-2
- review mode M:5-3
- review data
  - loading S:13-4
- rewinding

- scenario S:2-10
- role
  - formation S:4-16
- rope S:5-21
- rotation
  - IK M:3-12
  - joint
    - limit M:3-8
- rotational
  - circle M:3-6
- RPR FOM S:14-7
  - extensions S:14-9
  - HLA S:14-5
- RTI S:14-2, S:14-7
- running
  - Lua script C:5-15, M:1-6
  - scenario S:2-10
- runtime infrastructure S:14-7
- runtime pose M:3-10, M:4-7, M:5-2

## S

- Sadr City
  - terrain database S:12-3
- saving
  - action table M:7-3
  - actor C:4-15
  - animation set C:4-15
  - camera setting S:3-31
  - camera settings M:6-13, S:9-6, S:9-7
  - gesture table M:8-6
  - project M:1-5
  - scenario S:2-10, S:3-8
- scale
  - affecting action S:5-6
  - character
    - changing S:5-5
  - scale mismatch C:4-22
- scaling
  - track M:4-6
- scenario
  - adding people S:3-6
  - AI Crosswalks A:3-41
  - AI multifloor path planning A:3-34
  - AI Schedule Demo A:6-29
  - AI Train Station Alarm A:3-42
  - callbacks S:C-4
  - copying object into S:2-23

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- creating C:4-8, S:1-4, S:2-10
  - debugging S:2-18
  - decision logic S:10-3
  - description S:2-12
  - end time S:2-10
  - file
    - startup S:2-6
  - importing library into S:2-26
  - introduction S:2-9
  - merging S:2-13
  - Middle East Town A:3-42
  - opening S:2-10
  - playing S:3-8
  - read-only S:2-12
  - recording S:2-13
  - resetting S:2-10
  - rewinding S:2-10
  - running S:2-10
  - saving S:2-10, S:3-8
  - script S:10-7
  - sound effects S:8-18
  - start time S:2-10
  - variable S:8-20
- Scenario Can Skip Ticks S:11-4
- Scenario Info
  - page S:2-12
- Scenario Objects window S:3-13
- scene object
  - avoidance A:6-23
  - avoidance method A:6-13
  - character S:5-6
  - culling S:11-9
  - custom C:1-7
- Scene Object check box S:11-9
- Scene Object Grid page S:12-8
- Scene Object page S:3-35, S:11-7, S:12-4
- Scene Object Sub Shape S:11-9
- schedule
  - adding A:6-29
  - adding event A:6-30
  - agent A:6-28
- Schedule Editor page A:6-28, A:6-29
- scheduler A:6-29
- screen
  - label S:5-17, S:10-13
- Script
  - page S:2-8, S:2-9, S:10-7
  - script S:10-2
- bead S:6-2
  - controlling camera S:9-10
    - I-Guy mode S:9-10
  - converting decision to S:10-6
  - creating C:4-5
  - initialization S:2-7, S:2-8
  - Lua A:5-8, A:5-25
    - running C:5-15
  - mapping S:10-10
  - opening info popup S:10-20
  - overriding S:9-11
  - running M:1-6
  - scenario S:10-7
  - startup S:2-8
  - writing A:3-18
- script bead
  - creating from decision bead S:7-19
  - writing S:7-20
- Script Bead page S:7-19, S:7-20
- Script page A:3-11, A:3-12, A:3-18, A:3-37, S:10-6, S:10-13
- script\_lua
  - module S:2-6
- Scripts page S:10-23
- SDK S:10-2
  - functions S:10-2
  - label functions S:10-12
- section
  - Character Objects S:4-2
- Select Available Roles dialog box S:4-16
- selecting
  - avatar C:4-7
  - character S:3-13, S:4-7
  - DOF M:3-8
  - gesture table M:8-2
  - joint M:3-7
  - link M:3-7
  - path S:6-6
  - paths S:3-14
  - waypoints S:6-10
- self.ui\_signals A:5-24
- self.ui\_state\_label A:5-24
- Send Motion to Project button M:7-6
- sensing
  - dynamic objects A:2-22
  - static obstacles A:2-20
- Sensor Insert S:3-24, S:8-13
- sensor region S:3-24, S:8-12

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- callbacks S:C-4
- creating S:8-13
- editing S:8-15
- Sensor Region page S:8-15
- set\_desired\_position() function A:2-9, A:2-10
- setting
  - camera M:1-4, M:3-3, M:6-2
  - changing order S:9-8
  - hot key S:9-8
  - loading S:9-8
  - saving S:9-7
  - saving and loading S:9-6
  - IK M:1-4
  - joint rotational limits M:5-7
  - joystick S:2-17
  - preferences S:2-16
- settings
  - Camera M:6-5
  - camera
    - changing M:6-12
    - loading M:6-11
    - saving M:6-13
- shader C:4-22
  - character S:5-7
- Shader tab
  - Character page S:5-7
- shader\_matrix\_index\_table C:1-7
- shader\_matrix\_index\_tables.cfg
  - configuration file C:1-5
- shadow
  - viewing C:5-7
- shadows
  - casting S:12-13
- shaking
  - head S:7-25
- shape C:1-4, C:1-5, S:1-4
  - path S:8-11
- shape\_and\_joint\_data.cfg
  - configuration file C:1-5
- shapeset C:1-4, S:1-4
  - configuration file C:1-7
  - creating new C:2-17
- shortcut
  - keyboard S:B-2
- Show Diagram button A:5-13
- Show Selection's API S:7-21
- shrinking
  - action S:7-13
- sick
  - variant A:2-17
- sideways
  - movement S:7-8
- signal A:5-24
  - callbacks S:C-5
  - creating S:8-16
  - sound S:8-16
- Signal page S:8-16
- Signals dialog box S:8-17
- simple\_move\_to\_state() function A:5-12, A:5-18
- Simulation tab
  - Character page S:5-8
- skeletal hierarchy
  - actor C:1-7
- skeleton C:5-12
- skinned
  - character C:1-5
- skinned character C:2-13
- skipping
  - ticks S:11-4
- sky
  - color S:12-11
- sky color M:3-15
- sleep\_ignore\_messages() function A:5-12
- sleep\_process\_messages() function A:4-7, A:5-12
- sleep\_until() function A:5-12
- sleep() function A:5-12
- sleep]
  - mind A:5-19
- slider
  - azimuth and elevation M:7-4
  - Channel A M:8-11
  - time M:4-9
  - Timeline M:2-11
- sliding
  - cursor M:4-12
  - data M:4-12
  - feet S:A-2
- slipping
  - feet S:7-13
- slope adjuster S:3-15, S:6-8
- slow A:2-12
- smoke S:8-5
- smoothing S:8-3
- smoothness
  - waypoint S:6-12
- Snap-to M:4-9

## DI-Guy Master Index

---

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- Snap-to mode M:4-12
- socialize variant A:2-17
- soldier\_travel\_lua\_mind A:5-5
- sorting
  - action list M:7-3
- sound
  - adding to scenario S:8-18
  - customizing C:1-8
  - signal S:8-16
  - volume S:8-19
- sound\_openal
  - module S:2-6
- space M:3-3
  - Cartesian M:3-3
  - Cartesian M:3-3
- special effect
  - adding S:8-6
- specify effect S:8-5
- specular light S:12-13
- speed A:2-12
  - action M:7-4
  - camera
    - projection mode S:9-9
  - camera movement
    - Mouse Move mode S:9-4
  - fast forward S:2-17
  - playback M:3-4
  - type
    - repulsion zone A:2-23
  - types A:2-12
  - zone A:2-12, A:2-13
    - disabled A:2-14
    - interaction with repulsion zone A:2-23
    - parameter A:2-14
    - radius A:2-16
    - still A:2-15
- square
  - table M:7-7
- square table M:2-4, M:7-6
- Stage
  - terrain S:3-4
  - terrain database S:12-2
- stairway
  - path shape A:3-34
- standing\_hip\_height C:1-7
- Start At Radius
  - parameter A:2-14
- start time
  - motion M:4-9
- starting
  - Character Viewer C:5-2
  - DI-Guy Motion Editor M:1-3
  - DI-Guy Scenario S:2-3, S:3-3
- startup
  - configuration file S:2-6
  - connecting to network S:2-5
  - loading and unloading module S:2-6
  - loading and unloading plug-ins S:2-6
  - play mode S:2-5
  - scenario files S:2-6
  - script S:2-8
- state A:5-4
  - machine S:10-21
- state function
  - sections A:5-16
- state machine A:1-6, A:5-2, A:5-13, C:4-4
- state\_manager() function A:5-12
- static avoidance
  - disabling A:2-21
  - feeler A:2-20
- static object
  - avoidance A:6-23
- stationary action S:3-22
- status bar
  - hiding S:2-5
- Still
  - speed zone A:2-15
- still A:2-12
- stop moving
  - untrapped method A:2-25
- stopping
  - playback S:2-10
- stretch M:4-10
- stretching
  - action S:7-13
  - data M:4-8
- stretching and shrinking S:7-13
- sub shape
  - object S:11-9
- subclass A:5-25
- subgroup
  - formation S:4-15
- subregion A:2-10, A:2-12
  - preferred A:4-5
  - repulsed A:4-5
- Sunnyvale



Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- terrain database S:12-3
- supported platforms A:1-8, S:1-4
- switch
  - keyword S:E-2
- switch node
  - OpenFlight S:E-2
- symbol
  - 2D S:9-11
- symbolic view S:9-11
- syntax analyzer
  - Lua S:D-2

## T

### T

- channel M:2-19, M:4-7
- T channel M:4-7
- T Out
  - scenario S:2-10
- tab
  - Action Table M:2-4, M:7-5, M:8-11
  - Actions M:7-3
  - Avoidance Methods A:6-9, A:6-13
  - Behavior Settings A:3-17, A:6-20
  - Character Avoidance A:6-25
  - Character Objects S:3-13
  - Character page S:5-6
  - Companion Crowds A:6-9, A:6-12
  - Crowd Members A:6-9
  - Demand Loading S:11-7
  - Events A:6-9, A:6-13
  - Ex. Location S:12-5
  - Gesture Parameters M:8-7
  - Gestures M:8-11
  - I-Guy S:5-14
  - Label A:5-24
  - Misc A:6-15
  - Motion Arcs M:8-11
  - Phonemes C:4-13
  - Populate Settings A:6-17
  - Prop and Scene Object Avoidance A:6-23
  - Review Data S:13-3
  - Trap Settings and Path Planning A:4-2, A:6-26
- table
  - action
    - types M:7-6
  - one-column M:7-7
  - Populate Entries A:2-4

- square M:7-7
- three-column M:7-7
- types M:7-7
- Teepee
  - blend M:2-19
- teepee blend M:4-15
- teleport
  - untrapped method A:2-25
- teleporting
  - camera S:3-32, S:9-4
  - to object S:2-20
- terrain C:1-7, S:3-4
  - demand loading S:11-6
  - grid S:12-8
  - loading S:3-35, S:12-4
  - location S:12-5
  - LOD tuning S:11-5, S:12-9
  - models S:12-2
  - paging S:12-8
  - positioning on earth S:12-5
  - scene object S:5-6
  - Stage S:3-4
  - tile S:12-8
- terrain database
  - Desert S:12-3
  - Jailhouse S:12-3
  - Khost Afghanistan S:12-3
  - Middle East Town S:12-3
  - Penn Station S:12-3
  - Sadr City S:12-3
  - Stage S:12-2
  - Sunnyvale S:12-3
  - Western Urban Stage S:12-3
- text
  - object
    - displaying S:2-22
    - overlay S:2-17
- texture
  - compressing S:11-14
  - customizing C:1-7
  - enabling and disabling S:2-18, S:11-12
  - motion C:1-6
- texture swap
  - tutorial C:2-2
- Then S:7-16, S:10-3
- third person POV S:5-13
- thought
  - balloons A:3-22

- three-column
  - table M:7-7
- tick
  - rate S:11-3
  - setting time between S:11-4
  - skipping S:11-4
- tick interval
  - Timeline M:2-9
- Tick\_dt S:11-3
- Ticks Between Checks S:11-4
- TIFF frame generator S:2-17
- tile
  - terrain S:12-8
- time
  - between ticks S:11-4
  - changing M:4-9
  - format S:2-18
  - indicator M:4-9
  - motion
    - start and end M:4-9
    - offsetting for assets M:4-12
- Time Control
  - window S:2-10
- Time Control window S:3-3, S:3-8
- time cursor M:2-10
- time in
  - character S:5-6
- Time Offset dialog box M:4-12
- time out
  - character S:5-6
- time slider M:4-9
- Timeline M:2-5, M:2-6, M:3-10, M:4-3, M:4-9
  - adding motion to M:2-9
  - channels M:2-9
  - exporting motion M:2-22
  - locking M:4-10
  - opening M:4-4
  - slider M:2-11
  - Snap-to mode M:4-12
  - tick interval M:2-9
  - zoom M:2-9
  - zooming in and out M:4-10
- Timeline window M:3-2
- time-stretch
  - data M:4-8
- toolbar
  - Transition M:2-19, M:4-7, M:4-13
- Tools menu
  - hiding M:1-4
- toString() function A:5-24
- track
  - audio M:4-22
  - body M:4-4
  - channels M:4-6
  - header M:4-4
  - information M:4-22
  - joint error M:4-21
  - locking M:4-6
  - motion M:4-4
  - scaling M:4-6
- Track Enabled button M:4-6
- Track Lock button M:4-6
- Track Playback button M:2-20
- track. See also motion track
- tracking
  - character M:6-2
  - character with camera S:3-34, S:9-5
- trajectory M:3-12, M:4-7
  - atom M:4-10
  - atoms M:3-12
  - editing M:3-12
  - extracting M:4-10
  - goal
    - out of reach M:3-13
  - IK M:4-7
- Trajectory Editor M:3-13
- transition
  - action M:7-5
  - adding to channel M:4-7
  - blend M:4-14
  - channel M:4-7
  - customizing M:4-20
  - IK hold M:4-17
  - IK interpolation M:4-16
  - interpolation M:4-13
  - moving M:4-19
  - offset effect M:4-18, M:9-3
  - via M:7-7
- Transition After S:7-6
- Transition Before S:7-6
- Transition toolbar M:2-19, M:4-7, M:4-13
- translational
  - post M:3-5
- trap A:4-2
  - detecting A:2-24
  - escaping A:2-24

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

- navigation mesh A:4-5
- no progress A:2-24
- types A:2-24
- untrap methods A:2-25
- wedged A:2-24
- Trap Settings and Path Planning tab A:4-2, A:6-26
- travel behavior A:2-6, A:3-6
- travel direction
  - action M:7-4
- traveling action S:3-22
- trigger
  - event S:10-9
- Trigger Action button M:7-3
- Trigger dt S:10-9
- Trigger T S:10-9
- Trigger T Out S:10-9
- triggering
  - action M:7-3
  - gesture M:8-11
- troubleshooting A:8-2, S:A-2
- tuning
  - LOD S:11-4, S:12-9
  - performance S:11-2
- tutorial
  - appearance C:2-2
  - companion waypoint S:7-9
  - texture swap C:2-2
- type
  - character C:1-4, S:1-2
  - changing S:5-3

## U

- undo M:2-21, S:4-9
  - levels of S:2-17
- unload
  - radius S:11-6
- Unload Radius S:11-7
- unloading
  - module
    - startup S:2-6
    - plug-in S:2-6
- untrap
  - methods A:2-25
- untrap settings A:2-5
- Update Arc Zero Positions button M:7-4
- updating
  - companion waypoint S:7-8

- idealized data M:9-5
- upright A:2-17
- using
  - Joint Editor M:5-5
  - joystick S:5-11
- UTM
  - coordinates S:12-5
  - exercise location S:12-7

## V

- variable
  - character S:4-10
  - scenario S:8-20
    - creating S:8-20
- Variable page S:8-20
- variant A:2-5, A:2-17
  - action M:7-4
  - primary M:7-4
  - selecting automatically A:2-19
  - types A:2-17
- Vega Prime S:1-4
- vehicle
  - character type S:3-11
  - custom C:2-11
  - obstacle avoidance A:2-23
- velocity
  - augmenting export with M:9-7
- Velocity mode M:5-3
- velocity mode M:5-5
- via
  - transition M:7-7
- via identifier M:7-5
- view
  - symbolic S:9-11
- View Configuration dialog box M:3-15
- view frustum S:9-10
- View Setup button M:7-6
- viewing
  - action C:5-3
  - appearance C:5-3
  - character C:5-3
  - shadows C:5-7
  - wireframe, skeleton, bounding volume C:5-12
- viewing angle
  - changing C:5-5
- viewpoint M:3-2

Page prefix: S: DI-Guy Scenario Users Guide; M: Motion Editor Users Guide; A: AI Users Guide; C: Content Reference Guide; G: Getting Started Guide

Visibility page A:3-7, A:3-22, 1:7-4, S:2-27, S:5-18, S:6-7, S:8-5

visual

quality S:11-12

visual quality S:8-3

voice

recording C:4-9

volume

sound S:8-19

## W

wait\_for\_message() function A:4-7, A:5-12

wander behavior A:2-7

wander crowd A:3-8

warning

out of reach trajectory goal M:3-13

waypoint

adding S:3-17

altitude S:6-13

character C:1-5

companion S:7-8

creating S:6-8, S:6-9

in 3D View S:6-9

cutting, copying, pasting S:4-9

editing S:6-11, S:6-12

ground clamping S:6-13

inserting S:3-18, S:6-9

moving S:3-15, S:6-13

path S:6-2

selecting S:6-10

problems S:A-2

smoothness S:6-12

Waypoint page S:6-9, S:6-10, S:6-12, S:6-13

weapon

new C:2-20

parameters S:5-10

Weapon Parameters page S:5-10

wedged trap A:2-24

weight

DOF M:8-2

gesture M:8-11

Western Urban Stage

terrain database S:12-3

WGS84 S:12-5

window

3D

multiple S:2-18

3D View S:3-3, S:9-2

DI-Guy Extras M:3-14

floating S:2-18

Geometry Overview C:5-16

Info M:2-9, M:3-12

information popup S:10-19

Input Mode A:6-6, S:3-3, S:4-2, S:9-2

Joint Edit M:2-18

Joint Editor M:4-21

Log C:5-18, S:2-15

Primary 3D View S:3-3

Project M:2-5, M:2-8, M:2-12, M:4-7, M:4-9

Scenario Objects S:3-13

Time Control S:2-10, S:3-3, S:3-8

Timeline M:3-2

Windows S:1-4

Windows tab

Preferences dialog box S:2-18

wireframe C:5-12

wizard

Create Animation C:4-11

writing

script A:3-18

script bead S:7-20

## Z

zone

repulsion A:2-12, A:2-22

speed A:2-12, A:2-13

Zone Far Extent S:11-11

zoom

Timeline M:2-9, M:4-10